
Question: 1

Given the command shown below, which statement is true?
aaa authentication enable default radius local

- A. Console access is authenticated using a RADIUS server.
- B. If a user is unknown to the RADIUS server, the local user account list is used.
- C. If the RADIUS server is unavailable, the local user account list is used.
- D. If an incorrect password is received by the RADIUS server, the local user account list is used.

Answer: C

Question: 2

Your operations staff is complaining about entering their login credentials multiple times when accessing the Brocade ADX. What can be done to enable a user to enter a username and password only once?

- A. Enter the aaa authentication enable default none command.
- B. Enter the enable super-user-password command.
- C. Enter the aaa authentication enable implicit-user command.
- D. Enter the aaa authentication login privilege-mode command.

Answer: D

Question: 3

When using ACLs to restrict access to management functions, which two statements are true? (Choose two.)

- A. The ACLs must use deny statements.
- B. The ACL IDs must be different for each management access method.
- C. The ACLs must be standard ACLs.
- D. The access group command only applies to telnet, SSH, and Web access.

Answer: C, D

Question: 4

Your management server has IP address 10.10.100.10/24. The upstream router has an address of 10.10.10.10/24. Management communication to the Brocade ADX management port is not working. Which command must be added to the configuration shown in the exhibit to make this work?

- A. ServerIronADX(config)# interface management 1
ServerIronADX(config-if-mgmt-1)# ip route 0.0.0.0 0.0.0.0 10.10.10.10
- B. ServerIronADX(config)# ip route 10.10.100.10 255.255.255.0 interface management 1

C. ServerIronADX(config)# ip route 0.0.0.0 0.0.0.0 interface management 1
D. ServerIronADX(config)# interface management 1
ServerIronADX(config-if-mgmt-1)# ip route 10.10.100.0 255.255.255.0 10.10.10.10

Answer: D

Question: 5

When using the GUI on a Brocade ADX running router code, which two fields are available for configuration under the "IP address" tab? (Choose two.)

- A. Management IP
- B. Interface
- C. IP Address
- D. VLAN

Answer: B, C

Question: 6

When using the GUI on a Brocade ADX running switch code, which three fields are available for configuration under the "IP address" tab? (Choose three.)

- A. Management IP
- B. Interface
- C. Subnet Mask
- D. Default Gateway
- E. VLAN

Answer: A, C, D

Question: 7

Which three Health Check types can be configured using the Element HC tab from the Brocade ADX GUI? (Choose three.)

- A. Boolean
- B. DNS
- C. SSL
- D. TCP
- E. UDP

Answer: A, D, E

Question: 8

Given the exhibit from the Brocade ADX GUI, which two tabs can be used to enable/disable a real server? (Choose two.)

- A. Advanced
- B. Basic
- C. Port
- D. Summary

Answer: B, D

Question: 9

The Brocade ADX GUI is supported by which browser?

- A. Internet Explorer
- B. Safari
- C. Lynx
- D. IronView

Answer: C

Question: 10

The exhibit shows a step of which feature provided by the Brocade ADX GUI?

- A. Overview
- B. Traffic Management
- C. Security
- D. Layer 7 Switching

Answer: D

Thank You For Trying 150-420 PDF Demo

To try our 150-420 Premium Files visit link below:

<https://examsland.com/latest-exam-questions/150-420/>

Start Your 150-420 Preparation

Use Coupon **EL25 for extra 25% discount on the purchase of Practice Test Software.**