

Citrix

Exam 1Y0-253

Implementing Citrix NetScaler 10.5 for App and Desktop Solutions

Version: Demo

[Total Questions: 10]

Question No : 1

Scenario: After an infrastructure service review, an administrator needs to improve the availability of core Web applications for customers. The administrator needs to place two recently purchased NetScalers in two different datacenters on two different subnets.

Which two options could the administrator configure for the two NetScaler devices?
(Choose two.)

- A. GSLB
- B. VRRP
- C. Cluster
- D. Virtual MAC address
- E. High availability INC pair

Answer: A,E

Question No : 2

Scenario: An administrator configured a AAA virtual server. The AAA virtual server is NOT yet bound to a traffic management virtual server.

Which two virtual servers could the administrator configure as traffic management virtual servers? (Choose two.)

- A. GSLB
- B. Load balancing
- C. Content switching
- D. NetScaler Gateway

Answer: B,C

Question No : 3

What is required to configure a NetScaler Gateway cluster?

- A. Striped IP addresses
- B. Strict option is enabled

- C. Sticky option is enabled
- D. Enterprise or Platinum license

Answer: C

Question No : 4

Scenario: An administrator needs to configure a NetScaler to provide access to users on an Exchange platform. The users will only use the IMAP4 protocol.

Which three features should the administrator configure for this scenario? (Choose three.)

- A. SSL Offload
- B. Compression
- C. Load balancing
- D. Health monitoring
- E. Integrated caching
- F. Route health injection

Answer: A,C,D

Question No : 5

An administrator needs to prevent a single point of failure for the Secure Ticket Authority servers configured on NetScaler Gateway.

Which method could the administrator use to accomplish this?

- A. Create a DNS round robin for the Secure Ticket Authority servers.
- B. Add Secure Ticket Authority servers individually to the virtual server.
- C. Create a virtual server to load balance the Secure Ticket Authority servers.
- D. Configure Windows Network Load Balancing for the Secure Ticket Authority servers.

Answer: B

Question No : 6

A Citrix Administrator needs to configure two-factor authentication for mobile devices with RSA tokens.

Which two policies should the administrator configure to enable this feature? (Choose two.)

- A. SSL
- B. Local
- C. LDAP
- D. RADIUS
- E. TACACS

Answer: C,D

Question No : 7

Which port exchanges high availability heartbeats?

- A. TCP 80
- B. TCP 443
- C. TCP 3003
- D. UDP 3003

Answer: D

Question No : 8

Scenario: Several users in an environment connect to corporate network resources through NetScaler Gateway. Sometimes these users only need to connect to the corporate XenDesktop environment. Some of the users do NOT need a VPN connection.

How could an administrator configure access using NetScaler Gateway for this scenario?

- A. Enable Client Choices.
- B. Set Clientless Access to Allow.
- C. Configure a virtual server in Basic mode.
- D. Configure the Plug-in Type as Windows/Mac OS X.

Answer: A

Question No : 9

Refer to the exhibit.

```
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netscaler/aaad/naaad.c[769]: process_kernel_socket call to authenticate
user administrator: wId 79621
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netscaler/aaad/naaad.c[2577]: start_cascade_auth starting cascade authentication
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netscaler/aaad/ldap_drv.c[106]: start_ldap_auth Starting LDAP auth
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netscaler/aaad/ldap_drv.c[129]: start_ldap_auth attempting to auth administrator @ 10.10.10.23
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netscaler/aaad/ldap_drv.c[131]: start_ldap_auth LDAP referrals are OFF
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netscaler/aaad/ldap_drv.c[132]: start_ldap_auth LDAP referral nesting depth 0
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netscaler/aaad/ldap_common.c[624]: continue_ldap_init Connecting to: 10.10.10.23:389
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netscaler/aaad/ldap_common.c[692]: ns_ldap_set_up_socket Server certificate hostname = NULL
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netscaler/aaad/ldap_common.c[733]: ns_ldap_set_up_socket Set cert verify level 0
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netscaler/aaad/ldap_common.c[781]: ns_ldap_set_up_socket Sectype: 1
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netscaler/aaad/ldap_drv.c[180]: receive_ldap_bind_event receive ldap bind event
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netscaler/aaad/ldap_common.c[351]: ns_ldap_check_result checking LDAP result. Expecting 97 (LDAP_RES_BIND)
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netscaler/aaad/ldap_common.c[386]: ns_ldap_check_result ldap result found expected result LDAP_RES_BIND
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netscaler/aaad/ldap_common.c[216]: ns_show_ldap_err_string LDAP error string: <<80090308: LdapErr: DSID-0C0903A9, comment: Acces
sSecurityContext error, data 52e, vidbl>>
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netscaler/aaad/ldap_common.c[396]: ns_ldap_check_result LDAP action failed (error 49): Invalid credentials
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netscaler/aaad/ldap_drv.c[206]: receive_ldap_bind_event Got LDAP error.
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netscaler/aaad/naaad.c[2146]: send_reject_with_code Rejecting with error code 4001
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netscaler/aaad/naaad.c[2173]: send_reject_with_code Not trying cascade again
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netscaler/aaad/naaad.c[2175]: send_reject_with_code sending reject to kernel for : administrator
```

Scenario: A Citrix Administrator has implemented a remote access solution using NetScaler. The NetScaler is configured to validate user credentials connecting to Active Directory. A user cannot log into a StoreFront store from the Internet with their domain credentials. The administrator reviews the events listed in NetScaler.

Click the exhibit button to view the log.

What is the cause of the issue?

The user entered an incorrect password.

- A. The user does NOT belong to the domain administrator group.
- B. The Authentication profile on the NetScaler Gateway is incorrect.
- C. The user does NOT have permission to access the requested resource.

Answer: C

Question No : 10

In which directory can a Citrix Administrator locate the SSL certificates, certificate keys and

root CA files?

- A. /var/nslog
- B. /var/ns_gui
- C. /nsconfig/ssl
- D. /var/netscaler

Answer: C

Thank You For Trying 1Y0-253 PDF Demo

To try our 1Y0-253 Premium Files visit link below:

<https://examsland.com/latest-exam-questions/1Y0-253/>

Start Your 1Y0-253 Preparation

Use Coupon **EL25 for extra 25% discount on the purchase of Practice Test Software.**