

# Oracle

## Exam 1z0-554

### Oracle Application Development Framework Essentials

Version: Demo

[ Total Questions: 10 ]

**Question No : 1**

To skin a particular instance of a command button component you define a skin definition for the button component. What attribute would you then set on the command button component to incorporate the skin definition?

- A. SkinFamily
- B. StyleClass
- C. InlineStyle
- D. SkinClass

**Answer: B**

**Question No : 2**

Identify the business component that is being described below.

“It is a smart data service containing a data model of master-detail queries that your client interface needs to work with. It also provides a transaction and database connection used by the components it contains.”

- A. a service method
- B. a transaction
- C. an application module
- D. a view object
- E. a task flow
- F. a data control

**Answer: C**

Reference: [http://docs.oracle.com/cd/E12839\\_01/web.1111/b31974/bcintro.htm](http://docs.oracle.com/cd/E12839_01/web.1111/b31974/bcintro.htm) (topic 3.2.1.1)

**Question No : 3**

You are working on the design of Web pages for an application. One page requires that user can collapse or restore panels of data. When a panel collapsed the panel contents are hidden: when panel is restored, the contents are displayed.

Which two layout components would enable you to achieve this design?

- A. af:panelSplitter
- B. af:panelCollection
- C. af:panelTabbed
- D. af:decorativeBox
- E. af:panelAccordion

**Answer: C,E**

Reference: [http://docs.oracle.com/cd/E12839\\_01/web.1111/b31973/af\\_orgpage.htm](http://docs.oracle.com/cd/E12839_01/web.1111/b31973/af_orgpage.htm) (table 8-1)

**Question No : 4**

Your application has a page that displays information about employees in a company. Trace the sequence of the EmpId binding, starting from its role as an item on the page to its source Business component In the Model.

- A. EmpId item, EmpView iterator binding, EmpId attribute value, AppModuleDataControl data control EmpView view object, Emp entity object
- B. EmpId item, EmpId attribute value, AppModuleDataControl data control, EmpView iterator binding, EmpView view object, Emp entity object
- C. EmpId item, EmpId attribute value, EmpView iterator binding, AppModuleDataControl data control, EmpView view object, Emp entity object
- D. EmpId item, EmpView iterator binding, EmpView view object, EmpId attribute value, AppModuleDataControl data control, Emp entity object
- E. EmpId item, AppModuleDataControl data control, EmpId attribute value, EmpView iterator binding EmpView view object, Emp entity object

**Answer: C**

**Question No : 5**

Which component CANNOT be packaged into an ADF Library JAR file?

- A. ADF Business Components
- B. Task flows

- C. Task flow templates
- D. ADF Library JAR files
- E. Declarative components

**Answer: D**

Reference:

[http://docs.oracle.com/cd/E12839\\_01/web.1111/b31974/reusing\\_components.htm#BEIJIGDG](http://docs.oracle.com/cd/E12839_01/web.1111/b31974/reusing_components.htm#BEIJIGDG) (Table 32-1)

**Question No : 6**

Where do you register the resource bundles for an application?

- A. In the adfc-config.xml file for the application
- B. In the Resource Palette
- C. In the ViewController project for the application
- D. In the faces-config.xml file for the application
- E. In the Resource Catalog

**Answer: D**

Reference:

[http://docs.oracle.com/cd/E12839\\_01/web.1111/b31973/af\\_global.htm#BJEBIGCF](http://docs.oracle.com/cd/E12839_01/web.1111/b31973/af_global.htm#BJEBIGCF) (topic 21.1)

**Question No : 7**

You have a single page containing bindings you want to secure in an application. What is the recommended way to secure the data on that specific page?

- A. Create a bounded task flow, add the page, and secure the bounded task flow.
- B. Create an unbounded task flow, add the page, and secure the bounded task flow.
- C. Secure the page definition file.
- D. Secure the JSF file.
- E. Secure all the entity objects used on the page.

**Answer: A**

Reference: [http://docs.oracle.com/cd/E12839\\_01/web.1111/b31974/taskflows.htm](http://docs.oracle.com/cd/E12839_01/web.1111/b31974/taskflows.htm)

**Question No : 8**

What JDeveloper facility is being described in the paragraph below?

"It allows you to create multiple connections to one or more otherwise unrelated repositories so that you can browse their contents. It provides a Search tool to enable you to search all the defined repositories. If you find resources that your project may need to consume, you can drag those resources into your application as needed."

- A. Database Navigator
- B. ADF Library JAR file
- C. A version-control tool, such as Subversion
- D. Resource catalog
- E. Application Resources accordion

**Answer: D**

Reference:

[http://download.oracle.com/docs/cd/E21764\\_01/webcenter.1111/e10148/jpsdg\\_catalog.htm](http://download.oracle.com/docs/cd/E21764_01/webcenter.1111/e10148/jpsdg_catalog.htm)

**Question No : 9**

There is a specific order in which events and listeners fire. Choose the correct sequence from those listed below.

- A. 1. Value change listeners
- 2. Validators
- 3. Action listeners
- 4. Action methods
- B. 1. Action listeners
- 2. Action methods
- 3. Validators

- 4. Value change listeners
- C.** 1. Action methods
- 2. Action listeners
- 3. Value change listeners
- 4. Validators
- D.** 1. Validators
- 2. Value change listeners
- 3. Action listeners
- 4. Action methods
- E.** 1. Value change listeners
- 2. Action listeners
- 3. Validators
- 4. Action methods

**Answer: D**

Reference: <http://www.scribd.com/doc/6031025/14Handling-Application-Events> (page 14-12)

**Question No : 10**

Although null is among the possible values for a managed property, it is allowed only for what type?

- A.** int
- B.** boolean
- C.** String
- D.** Object
- E.** Number

**Answer: C**

**Thank You For Trying 1Z0-554 PDF Demo**

**To try our 1Z0-554 Premium Files visit link below:**

<https://examsland.com/latest-1Z0-554-exam-questions/>

**Start Your 1Z0-554 Preparation**

**Use Coupon **EL25** for extra 25% discount on the purchase of Practice Test Software.**