

# **Riverbed**

## **Exam 201-01**

### **Riverbed Certified Solutions Associate - Network Performance Management**

**Verson: Demo**

**[ Total Questions: 10 ]**

**Question No : 1**

How can I increase the amount of packet storage capacity available on an AppResponse appliance?

- A. Install more hard drives.
- B. Change the RAID configuration.
- C. Decrease the snapshot storage in the web user interface.
- D. Install an Expression Chassis.

**Answer: D**

**Question No : 2**

What Operating System is required for installation of Cascade Pilot?

- A. Windows Server 2003 or Windows Server 2008
- B. Windows XP, Windows Vista, or Windows 7
- C. Cascade Pilot is not specific to an operating system since access is through any standard web browser.
- D. Any operating system supported by Wireshark

**Answer: B**

**Question No : 3**

Which product category is Cascade likely to be included within? (Select 3)

- A. Fault Management
- B. Application Performance Management (APM)
- C. Network Behavior Analysis (NBA)
- D. Flow based Network Monitoring and Analysis

**Answer: B,C,D**

**Question No : 4**

Which of the following pieces of information is required when configuring an Cascade Enterprise Profiler?

- A. BGP AS number
- B. IP address of Sensor
- C. Default gateway of Internet router
- D. Subnet mask for entire corporate network
- E. Subnet mask for all Cascade Enterprise Profiler modules

**Answer: E**

**Question No : 5**

Which of the following are valid Cascade Profiler Report export formats? (Select 3)

- A. XML
- B. PDF
- C. CSV
- D. EDI
- E. HTML

**Answer: B,C,E**

**Question No : 6**

Which fields are generally available for export using NetFlow technology? (Select 3)

- A. Source and Destination IP Address of endstations
- B. Source and Destination MAC Address of endstations
- C. Source and Destination Hardware Port Numbers of endstations
- D. Source and Destination UDP or TCP Port Numbers
- E. TCP Flags used

**Answer: A,D,E**

**Question No : 7**

In configuring a router to send NetFlow to Cascade, an important point to consider is:

- A. Ensuring the interface of the Cascade Profiler is on the same subnet as the router, as NetFlow is not routable.
- B. Using the “tcp/(n) + 1” port numbering scheme to ensure this router’s NetFlow is unique from all other routers.
- C. Ensuring the router has IP connectivity to the Cascade Gateway.
- D. Ensuring the interface of the Cascade Gateway is on the same subnet as the router, as NetFlow is not routable.
- E. Using the “udp/(n) + 1” port numbering scheme to ensure this router’s NetFlow is unique from all other routers.

**Answer: C**

**Question No : 8**

What operating system will not support installation of Packet Analyzer?

- A. Windows 7 SP 1
- B. MAC OS X
- C. Windows 8
- D. Windows 8.1

**Answer: B**

**Question No : 9**

Cascade Services are defined using which of the following terms?

- A. Servers and Applications
- B. Clients, Servers and Ports
- C. Front-end and Back-end tiers
- D. Components and Segments
- E. Web, Application and Database tiers

**Answer: D**

**Question No : 10**

Which of the following are valid data sources for Flow Gateway? (Choose four.)

- A. sFlow
- B. Netflow (v5 and v9)
- C. IPFIX
- D. SteelFlow-Net sources
- E. Syslog

**Answer: A,B,D,E**

**Thank You For Trying 201-01 PDF Demo**

**To try our 201-01 Premium Files visit link below:**

**<https://examsland.com/latest-exam-questions/201-01/>**

**Start Your 201-01 Preparation**

**Use Coupon **EL25** for extra 25% discount on the purchase of Practice Test Software.**