

VMware

Exam 2V0-602

VMware vSphere 6.5 Foundations

Version: Demo

[Total Questions: 10]

Topic break down

Topic	No. of Questions
Topic 1: Exam Pool A	1
Topic 2: Exam Pool B	2
Topic 3: Exam Pool C	7

Topic 1, Exam Pool A

Question No : 1 - (Topic 1)

A VMware vSphere 6.x Administrator is implementing a new eight-node cluster for business critical applications. Each server will be configured with two 10 GbE network adapters and will utilize iSCSI for storage on one subnet.

Which feature is required to implement this solution?

- A. Storage DRS
- B. LACP
- C. Network I/O Control
- D. VMkernel Port Binding

Answer: D

Topic 2, Exam Pool B

Question No : 2 - (Topic 2)

Refer to the Exhibit. A storage administrator is not seeing full utilization of all bandwidth from an ESXi host. The vSphere administrator observes the adapter details, as shown in the Exhibit.

Adapter Details

Runtime Name	Target	LUN	Status
vmhba2:C0:T3:L0	50:06:01:60:c7:20:6a:a4 50:06:0...	0	Active (I/O)
vmhba2:C0:T2:L0	50:06:01:60:c7:20:6a:a4 50:06:0...	0	Active (I/O)
vmhba2:C0:T1:L0	50:06:01:60:c7:20:6a:a4 50:06:0...	0	Disabled
vmhba2:C0:T0:L0	50:06:01:60:c7:20:6a:a4 50:06:0...	0	Active

What is the probable cause of this issue?

- A. Another path needs to be used to allow full utilization of the bandwidth.
- B. The array is not setup to use the correct multipathing policy.
- C. There are no virtual machines on the host.
- D. No traffic is being sent across it because a path failed.

Answer: D

Question No : 3 - (Topic 2)

An administrator deploys vCenter Server using the embedded Platform Services Controller.

After testing the deployment for a couple of months, it is determined that the environment would be better served with an external Platform Services Controller.

What should the administrator do to meet this new requirement?

- A. Deploy a fresh instance of vCenter Server with an external Platform Services Controller.
- B. Perform a fresh install of an external Platform Services Controller.
- C. Migrate the embedded Platform Services Controller to an external Platform Services Controller.
- D. Upgrade the embedded Platform Services Controller to an external Platform Services Controller.

Answer: A

Topic 3, Exam Pool C

Question No : 4 - (Topic 3)

An administrator logs into the vSphere Web Client, but is unable to see any hosts and clusters.

Which two options could fix the problem? (Choose two.)

- A. Verify that the client web browser and vCenter Server are in the same broadcast domain.
- B. Verify that the vCenter Server system is registered with the same Platform Services

Controller as the vSphere Web Client.

C. Log in to the vCenter Server as a user within the Active Directory domain.

D. Log in to the vSphere Web Client as a user with permissions on the vCenter Server system.

Answer: B,D

Question No : 5 - (Topic 3)

A VMware vSphere Administrator is tasked with enabling Fault Tolerance (FT) on a VM but is unable to.

What is the reason that FT cannot be enabled?

A. The VM has a VMDK that is greater than 2TB.

B. The VM is configured to use Jumbo Frames.

C. The VM has 4 vCPU.

D. The VM is running an operating system that is more than 4 years old.

Answer: C

Explanation:

Enabling fault tolerance on a virtual machine with more than 1 vCPU using the vSphere Client fails.

You see the error:

“The Virtual Machine has x virtual CPUs and is not supported for Fault Tolerance”

Question No : 6 - (Topic 3)

An ESXi 6.x host consists of 24 logical cores. Hyperthreading is enabled on the host.

What is the maximum number of vCPUs that can be assigned to a virtual machine on this host?

- A. 24
- B. 48
- C. 64
- D. 128

Answer: A

Question No : 7 - (Topic 3)

Which two statements are true using Resource Pools? (Choose two.)

- A. Resource Pools require vSphere HA to be enabled
- B. Resource Pools compartmentalize all resources in a datacenter
- C. Resource Pools require vSphere DRS to be enabled
- D. Resource Pools compartmentalize all resources in a cluster

Answer: C,D

Question No : 8 - (Topic 3)

An administrator has an application that requires connection directly to PCI devices through a virtual machine.

What is a limitation of this configuration?

- A. Devices must be reserved for PCI passthrough on at least one host on which the virtual machine will run.
- B. Snapshots are not supported with DirectPath I/O passthrough devices.
- C. A maximum of 18 PCI vSphere DirectPath devices can be added to a virtual machine.
- D. Only one PCI controller can be presented to the virtual machine.

Answer: B

Explanation:

https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.vm_admin.doc/GUID-53F65726-A23B-4CF0-A7D5-48E584B88613.html

Question No : 9 - (Topic 3)

Refer to the Exhibit. An administrator is configuring an ESXi 6.x host to use multiple NICs to resolve a management network redundancy error. After configuring a second NIC, the server is not able to communicate when the primary connection is taken down.

The administrator analyzes the Exhibit shown here.

The screenshot shows the VMware vSphere interface for physical adapters. The top section, 'Physical adapters', displays a table of network adapters. The bottom section, 'Physical network adapter: vmnic0', shows the properties for the selected adapter.

Device	Actual Speed	Configured Speed	Switch	MAC Address	Observed IP ranges	Wake on LAN
Intel Corporation 82545EM Gigabit Ethernet Controller (Copper)						
vmnic0	1000 Mb	Auto negotiate	vSwitch0	00:50:56:03:0a:51	10.0.0.8-10.0.0.11	No
vmnic1	1000 Mb	Auto negotiate	vSwitch0	00:50:56:03:3b:61	10.0.0.8-10.0.0.11	No
vmnic2	Down	Auto negotiate	vSwitch1	00:50:56:03:44:ed	10.0.0.8-10.0.0.11	No
vmnic3	1000 Mb	Auto negotiate	vSwitch1	00:50:56:03:0e:0f	10.0.0.8-10.0.0.11	No
vmnic4	1000 Mb	Auto negotiate	—	00:50:56:03:17:a3	10.0.0.8-10.0.0.11	No

Physical network adapter: vmnic0

Property	Value
Adapter	Intel Corporation 82545EM Gigabit Ethernet Controller (Copper)
Name	vmnic0
Location	PCI 0000:02:00.0
Driver	e1000
Status	

Based on the exhibit, what is the likely cause of the issue?

- A. vmnic4 is not attached to a vSwitch.
- B. vmnic2 is not connected to a physical switch.
- C. E1000 is the incorrect NIC Driver for this card.
- D. There is a MAC address conflict on the network.

Answer: B

Question No : 10 - (Topic 3)

An administrator must determine an appropriate backup solution, given these conditions:

- 50 of the virtual machines are in a resource pool named Finance.
- 50 of the virtual machines are in a resource pool named QA.

Which solution allows an administrator the ability to backup 100 virtual machines?

- A.** Use Snapshot Manager on the vCenter Server to backup the virtual machines.
- B.** Use the VMware Consolidated Backup (vcb) tool on the ESXi Host to backup the virtual machines.
- C.** Use the VMware Data Recovery (VDR) Appliance on the vCenter Server to backup the virtual machines.
- D.** Use the VMware Data Protection (VDP) Appliance on one of the ESXi Hosts to backup the virtual machines.

Answer: D

Thank You For Trying 2V0-602 PDF Demo

To try our 2V0-602 Premium Files visit link below:

<https://examsland.com/latest-exam-questions/2V0-602/>

Start Your 2V0-602 Preparation

Use Coupon **EL25 for extra 25% discount on the purchase of Practice Test Software.**