

Version: 8.0

Question: 1

Which three statements about server pools are true? (Choose three.)

- A. Cisco USC Director Displays only the managed servers in a server pool, but the size of the pool includes all servers.
- B. Servers pools cannot be assigned to a Cisco USC Director group.
- C. A given server can belong only to a specific server pool.
- D. A server pool contains a set of servers that share the same attributes such as server type, amount of memory, local storage, type of CPU, or local drive configuration.
- E. A server pool only includes servers from a specific chassis in the system.
- F. If your system implements multitenancy through organizations, you can designate one or more server pools to be used by a specific organization.

Answer: A, D, F

Explanation:

Reference:

http://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-director/ucs-mgmt-guide/4-0/b_Cisco_UCS_Director_UCS_Management_Guide_40/b_Cisco_UCS_Director_UCS_Management_Guide_40_chapter_0110.html

Question: 2


A Cisco USC Director administrator is configuring his pod on the Physical > Compute Tab. Which three tabs are available under this menu? (Choose three.)

- A. UCS Chassis
- B. Datastore Capacity Report
- C. CloudSense
- D. Chargeback
- E. Compute Servers
- F. Compute Accounts

Answer: A, E, F

Explanation:

Reference:



Question: 3

Which four options are required on a DHCP server to enable PXE boot? (Choose four.)

- A. boot server host name (TFTP server hostname or IP address)
- B. subnet mask
- C. DNS server
- D. lease time
- E. domain name
- F. bootfile name
- G. router (Gateway)

Answer: A, B, C, G

Explanation:

Reference:

Refer to table 1 of the link: http://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-director/bma-install-config/4-1/b_ucsd_bma_install_config_guide_41/b_ucsd_bma_install_config_guide_41_chapter_0100.html

Question: 4

A Cisco USC Director administrator is viewing the workflow input and output status of a service request. Which option lists the steps that accomplish this task?

- A. On the menu bar, choose Organizations > My Approvals. Choose a user group. Click the Service Request tab.

Choose a service request.
Click View Details, and choose the Log tab.
B. On the menu bar, choose Organizations > Virtual Resources.
Click the Service Requests tab.
Choose the service request.
Click View Details, and choose the Input/Output tab.
C. On the menu bar, choose Organizations > Service Requests.
Click the Service Requests tab.
Choose the service request.
Click View Details, and choose the Input/Output tab.
D. On the menu bar, choose Organizations > Service Requests.
Choose a user group.
Click the Service Request tab.
Choose a service request.
Click View Details, and choose the Log tab.

Answer: D

Explanation:

Reference:

http://www.cisco.com/c/en/us/td/docs/cloud-systems-management/intercloud-fabric/2-1-2/user-guide/icf/b_Cisco_Intercloud_Fabric_User_Guide_Release_2_1_2/b_Cisco_Intercloud_Fabric_User_Guide_Release_2_0_chapter_01000.html

Question: 5

An administrator is installing a hypervisor on a Cisco USB B-Series Blade Server. In which three locations can the OS image be installed in Cisco UCSM? (Choose three.)

- A. local disk
- B. CD-ROM
- C. PXE
- D. LAN boot
- E. SAN
- F. USB

Answer: A, C, E

Explanation:

Reference:

http://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/sw/gui/config/guide/1-0-2/b_GUI_Config_Guide/GUI_Config_Guide_chapter25.pdf

Question: 6

Which two statements about Fibre Channel zoning in Cisco UCS are true? (Choose two.)

- A. Zoning is configured on a per-VSAN basis.
- B. Cisco UCS does not support zoning.
- C. Zoning is configured on a per fabric basis.
- D. Zoning can be enabled at the fabric level in switch mode.
- E. You cannot enable zoning at the fabric interconnect level.

Answer: C, D

Thank You For Trying 300-460 PDF Demo

To try our 300-460 Premium Files visit link below:

<https://examsland.com/latest-exam-questions/300-460/>

Start Your 300-460 Preparation

Use Coupon **EL25 for extra 25% discount on the purchase of Practice Test Software.**