

Cisco

Exam 500-007

Implementing Cisco TelePresence Video Solution, Part 1

Version: Demo

[Total Questions: 10]

Question No : 1

Which type of account needs to be set up to create a Cisco TelePresence soft client (such as Cisco Jabber or Movi) user if you are using the Cisco TelePresence VCS Expressway Starter Pack?

- A. a local FindMe account on the Cisco VCS
- B. a local admin account on the Cisco VCS
- C. an LDAP user account on Active Directory
- D. an LDAP FindMe account on Active Directory

Answer: A

Question No : 2

What are two ways that a conference participant can be disconnected from a conference? (Choose two.)

- A. by using the MCU 5300 web interface
- B. will be automatically disconnected at the end of the allotted time
- C. by the auto attendant
- D. will be disconnected when the conference exceeds its maximum capacity

Answer: A,B

Question No : 3

Which two interworking functions are supported on the Cisco VCS? (Choose two.)

- A. SIP-to-H.323
- B. IPv4-to-IPv6
- C. H.323-to-H.320
- D. firewall traversal

Answer: A,B

Question No : 4

Which of these must be enabled to set up a Cisco TelePresence soft client (such as Cisco Jabber or Movi) on a Cisco TelePresence VCS Expressway Starter Pack?

- A. SIP
- B. H.323
- C. interworking
- D. Multiway

Answer: A

Question No : 5

Which two statements about Cisco TCS users are true? (Choose two.)

- A. Users with the creator role can create their own recording aliases.
- B. Local users have only limited Cisco TCS permissions.
- C. Users can be assigned to the Cisco TCS through an Active Directory LDAP server.
- D. User permissions are based on one of three assignable roles.

Answer: C,D

Question No : 6

Which statement about playing back Cisco TCS recordings is true?

- A. It is not possible to play back Cisco TCS recordings from a video endpoint.
- B. The Cisco TCS must register to the Cisco VCS as an H.323 gateway in order to play back recordings on video endpoints.
- C. The Cisco TCS will automatically assign an E.164 playback number to recordings if it is registered as an H.323 terminal.
- D. The Cisco TCS must register to the Cisco VCS using SIP in order to play back on any video endpoint.

Answer: B

Question No : 7

How do you obtain a SIP log from the Cisco TelePresence MCU 5300 to send to Cisco TAC for further analysis?

- A. Navigate to Maintenance > Logs, and then download the log.
- B. Navigate to Logs > Event Log > SIP Details, and then download the log.
- C. Navigate to Logs > H.323/SIP Log, click Enable H323/SIP Logging, and then download the log.
- D. Use FTP to access the MCU, go to the directory /etc/logs/sip, and get all the files in that directory.

Answer: C

Question No : 8

What is the effect of registering the Cisco TCS with the Cisco VCS using H.323 gateway mode?

- A. The Cisco TCS does not support this type of registration.
- B. An unlimited number of recording aliases can be assigned.
- C. The Cisco TCS is prevented from making an outbound call to a Cisco MCU.
- D. The Cisco TCS can traverse calls between SIP and H.323.

Answer: B

Question No : 9

Which command is used to set the IP configuration for a Cisco TelePresence MCU 5300?

- A. status IP address netmask default GW
- B. xconfigure IP address netmask default GW
- C. static A IP address netmask default GW
- D. set IP address netmask default GW DNS server address

Answer: C

Question No : 10

In the SIP configuration, which two items need to match in the CiscoTelePresence VCS configuration and the endpoint configuration? (Choose two.)

- A. service prefix
- B. Cisco VCS IP address
- C. DNS server
- D. SIP domain

Answer: B,D

Thank You For Trying 500-007 PDF Demo

To try our 500-007 Premium Files visit link below:

<https://examsland.com/latest-exam-questions/500-007/>

Start Your 500-007 Preparation

Use Coupon **EL25 for extra 25% discount on the purchase of Practice Test Software.**