Cisco

500-215 Exam

SP Mobility Technology Systems Engineer Representative

Questions & Answers Demo

| Question: 1 | |
|--|-------------------------|
| How many Packet Service Cards are located in a fully loaded Cisco ASR 5 | 5000 chassis? |
| A. 8 | |
| B. 14 | |
| C. 16 | |
| D. 24 | |
| | |
| | Answer: B |
| Question: 2 | |
| Which option is the unique differentiator that sets Cisco ASR 5000 apart | from competitors? |
| A. seamless interoperability with GGSN | |
| B. cost-effective evolution to 2G | |
| C. combines 2G, 3G, and 4G SGSN into the same platform | |
| D. P2P detection and control | |
| | |
| | |
| | Answer: C |
| Question: 3 | Answer: C |
| | |
| Question: 3 On the Cisco ASR 5000, which three features help to ensure high available. | |
| On the Cisco ASR 5000, which three features help to ensure high availab | |
| On the Cisco ASR 5000, which three features help to ensure high available. A. inter-chassis redundancy | |
| On the Cisco ASR 5000, which three features help to ensure high available. A. inter-chassis redundancy B. online software upgrades are not supported | |
| On the Cisco ASR 5000, which three features help to ensure high available. A. inter-chassis redundancy | |
| On the Cisco ASR 5000, which three features help to ensure high available. A. inter-chassis redundancy B. online software upgrades are not supported C. no single point of failure D. virtual memory protects software tasks E. terminated tasks have to be manually restarted | |
| On the Cisco ASR 5000, which three features help to ensure high available. A. inter-chassis redundancy B. online software upgrades are not supported C. no single point of failure D. virtual memory protects software tasks | |
| On the Cisco ASR 5000, which three features help to ensure high available. A. inter-chassis redundancy B. online software upgrades are not supported C. no single point of failure D. virtual memory protects software tasks E. terminated tasks have to be manually restarted | |
| On the Cisco ASR 5000, which three features help to ensure high available. A. inter-chassis redundancy B. online software upgrades are not supported C. no single point of failure D. virtual memory protects software tasks E. terminated tasks have to be manually restarted | oility? (Choose three.) |
| On the Cisco ASR 5000, which three features help to ensure high available. A. inter-chassis redundancy B. online software upgrades are not supported C. no single point of failure D. virtual memory protects software tasks E. terminated tasks have to be manually restarted F. no session recovery for common services | oility? (Choose three.) |

A. Cisco IOS

D. Star OS

C. Linux software

B. Combination of Linux and Cisco IOS

| | Answer: D |
|--|-------------------------|
| Overtion 5 | |
| Question: 5 | |
| Which controller task is used to facilitate IP routing acros | ss and within contexts? |
| A. Session Controller | |
| B. VPN Controller | |
| C. Driver Controller | |
| D. Resource Manager Controller | |
| | Answer: B |
| | 111151111111 |
| Question: 6 | |
| Which bus interconnects RCCs and line cards? | |
| A. control bus | |
| B. system management bus | |
| C. TDM bus | |
| D. redundancy bus | |
| | Answer: D |

Thank You For Trying 500-215 PDF Demo

To try our 500-215 Premium Files visit link below:

https://examsland.com/latest-exam-questions/500-215/

Start Your 500-215 Preparation

Use Coupon EL25 for extra 25% discount on the purchase of Practice Test Software.