

Avaya

Exam 7593X

Avaya Pod Fx™ Integration Exam

Version: Demo

[Total Questions: 10]

Question No : 1

Which task is optional when preparing a site for a Pod Fx installation?

- A. Plan the path from the delivery location to the permanent site.
- B. Identify potential obstacles, such as signs and fire extinguishers in the path from the delivery location to the Pod's permanent site.
- C. Ensure that a minimum of four people are available to move the Pod due to its size and weight.
- D. Ensure there is room to maneuver the Avaya Pod Fx around any tight corners in hallways.

Answer: B

Question No : 2

Who is responsible to ensure that the IP Template for Pod Fx is correctly filled?

- A. Avaya Implementation Engineers
- B. Avaya Support Engineers
- C. BP implementation engineers
- D. Sales Engineers

Answer: D

Question No : 3

Assuming a new device resides in a subnet that has not been discovered, which three actions will ensure that Visualization Performance and Fault Management (VPFM) successfully discovers the newly added component to the Pod? (Choose three.)

- A. Seed router or subnet information of the Pod needs to be added to VPFM.
- B. SNMP credentials of the new components need to be added to the Device and Server Credential Editor.
- C. A test Trap should be generated from the newly added component.
- D. Rediscovery needs to be run in VPFM.
- E. The Pod Visualization Manager (PVM) Profile must include the newly added component.

Answer: A,B,C


Question No : 4

When a Layer-2 only networking topology is deployed, what is the behavior of the Pod?

- A. It will support only a single management VLAN.
- B. It will extend VLANs out to the Data Center routers which will provide Layer 3 routing.
- C. It will support only a single application VLAN.
- D. It will have 802.1Q tagging enabled on all ports of the VSP switches.

Answer: B

Question No : 5



Refer to the exhibit.

In the deployment shown in the exhibit, how is High Availability achieved across the two Data Centers?

- A. by using Virtualization Provisioning Service (VPS) to automate the provisioning of the network hardware and vSwitches across the two Data Centers
- B. by managing both Data Centers using the same vCenter Server and using vMotion &


DRS

C. by using Aura Applications' High Availability features

D. by ensuring that there the L2 VLANs are extended across to both Data Centers

Answer: A

Question No : 6



Refer to the exhibit.

When the monitoring option is selected as shown in the exhibit, which two events occur?
(Choose two.)

- A. VPFM uses collected data to represent it in the form of trend charts and dashboards.
- B. VPFM starts to poll devices for data.
- C. VPFM will forward any traps received from devices to the SAL Gateway.
- D. VPFM will monitor changes to the configuration of devices.

Answer: C,D

Question No : 7

Which statement about all hosts in the cluster describes a system requirement for VMware vMotion in Pod Fx?

- A. They must have matching Memory capacity.
- B. They must have matching CPU types.

- C. They must have matching VMware network settings.
- D. They must be the same server type.

Answer: B

Question No : 8

When powering up the virtual machines, what is the first virtual machine that needs to be powered on?

- A. vCenter Server
- B. Communication Manager
- C. System manager
- D. WebLm

Answer: D

Question No : 9

Which two are responsible for updating the Customer and Network Lifecycle Workbook?
(Choose two.)

- A. Avaya Backbone Team
- B. Project Managers
- C. Customers Administrator
- D. Implementation Engineers

Answer: C,D

Question No : 10

Which protocol does IP Flow Manager (IPFM) use to collect traffic flow information from the network?

- A. NETFLOW
- B. FTP
- C. IPFIX
- D. HASHFLOW

Answer: C

Thank You For Trying 7593X PDF Demo

To try our 7593X Premium Files visit link below:

<https://examsland.com/latest-exam-questions/7593X/>

Start Your 7593X Preparation

Use Coupon **EL25 for extra 25% discount on the purchase of Practice Test Software.**