Microsoft

98-388 Exam

Microsoft Introduction to Programming Using Java Exam

Questions & Answers Demo

Version: 9.0

Question: 1

HOTSPOT

You are writing a Java method named safeRoot. The method must meet the following requirements:

- Accept two double parameters radicand and index
- If radicand is negative and index is even, return null
- If radicand is negative and index is odd, return -Math.pow(-radicand, 1 / index)
- Otherwise, return Math.pow(radicand, 1 / index)

How should you complete the code? To answer, select the appropriate code segments in the answer area. NOTE: Each correct selection is worth one point.


Answer Area

public static double safeRoot(double radicand, double index) {

 if (radicand >= 0)
 if (index % 2 == 0)
}


 return null;
}

return -Math.pow(-radicand, 1 / index);
}





public static double safeRoot(double radicand, double index) {



Question: 2

HOTSPOT

You work as an intern Java programmer at Adventure Works. Your team lead asks you to create a method. The method must meet the following requirements:


- · Accept an int array
- · Check for duplicate values in the array
- . Stop the outer loop as soon as a duplicate value has been detected and return true
- · Return false if all values in the array are unique

How should you complete the code? To answer, select the appropriate code segments in the answer are

a. NOTE: Each correct selection is worth one point.

```
public static boolean duplicate(int[] array) {
                                              x < array.length - 2;
   boolean isDuplicate = false;
                                              x < array.length - 1;
                                              x <= array.length;
   for (
                                              x <= array.length - 1;
          x = 0:
      for x = 1;
                          1; y < array.length;
         int x = 1;
                                                      x = x + 1
         int x = 0;
                                                      y = y - 1
                                                      X--
            isDuplicate = true;
      if (isDuplicate)
                              w
          break;
          switch;
          finally;
          continue;
  return isDuplicate;
}
```

Answer:



Question: 3

HOTSPOT


You are interviewing for a job as a Java developer. You need to demonstrate your understanding of switch statements.

For each of the following code segments, select Yes if the code segment can be changed to a switch statement with up to three case statements. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

Yes No if (age >= 25) { 0 discount = 0.50; } else if (age >= 21) { discount = 0.25; } else { discount = 0.0; if (grade == "A") { 0 0 message = "Exceeds Standards"; } else if (grade == "B") { message = "Meets Standards"; } else { message = "Needs Improvement"; if (gpa == 4.0) { 0 0 priority = 1; } else if (gpa >= 3.0) { priority = 2; } else if (gpa >= 2.5) { priority = 3;



Question: 4

HOTSPOT

You need to evaluate the following code. Line numbers are included for reference only.

```
01 public static int fee(char model) {
     int price = 0;
    switch (model) {
  case 'A':
03
04
          price = 50;
05
          break;
06
       case 'T':
07
         price = 20;
08
09
       case 'C':
10
          price = 5;
11
          break;
12
       default:
          price = 100;
13
14
       break;
15
16
     return price;
17 }
```

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the code.

5 What is the return value when model has a value of 'A'? 20 50 100 5 What is the return value when model has a value of 'T'? 20 50 100 What is the return value when model has a value of 'c'? 5 20 50 100 What is the return value when model has any other value? 5 20 50 100 **Answer:**

What is the return value when model has a value of 'A'?			
	5		
	20		
	50		
	100		
What is the return value when model has a value of 'T'?			
	5		
	20		
	50		
	100		
What is the return value when model has a value of 'c'?		~	
	5		
	20		
	50		
	100		
What is the return value when model has any other value?		•	
	5		
	20		
	50	50	
	100		

Question: 5

HOTSPOT

You are writing a Java method.

The method must meet the following requirements:

- Accept a String array named entries
- Iterate through entries
- Stop the iteration and return false if any element has more than 10 characters
- · Otherwise, return true

Answer:

Answer Area public boolean validateEntries(String[] entries) { boolean allValidEntries = true; ▼ (String entry ▼ entries) { if (entry.length() > 10) { allValidEntries = false; } } return allValidEntries; } Answer Area public boolean validateEntries(String[] entries) { boolean allValidEntries = true; do ▼ entries) { ▼ (String entry for while if (entry.length() > 10) { allValidEntries = false; instanceof break; B continue; goto: } return allValidEntries; }

```
public boolean validateEntries(String[] entries) {
   boolean allValidEntries = true;
               ▼ (String entry
                                                     entries) {
    do
    for
    while
                                    instanceof
     if (entry.length() > 10) {
        allValidEntries = false;
         break;
         continue;
         goto;
     }
   }
   return allValidEntries;
}
```

Thank You For Trying 98-388 PDF Demo

To try our 98-388 Premium Files visit link below:

https://examsland.com/latest-exam-questions/98-388/

Start Your 98-388 Preparation

Use Coupon EL25 for extra 25% discount on the purchase of Practice Test Software.