

Adobe

Exam 9A0-384

Adobe Experience Manager 6 Developer Exam


Verson: Demo

[Total Questions: 10]

Adobe 9A0-384 : Practice Test

Question No : 1

You have written an OSGi service with the class name `com.acme.myapp.EmailUpdate`, You only we this service to run on the publish instance. Which two configurations would run the service on the publish instance only? (Choose two).

- 
- A) `/apps/myapp/config.publish/com.acme.myapp.EmailUpdate.properties` (node location)
`com.acme.myappEmailUpdate.properties` is a node with a `jcr:primaryType = nt:file`
 - B) `/apps/myapp/config.publish/com.acme.myapp.EmailUpdate.config` (node location)
`com.acme.myappEmailUpdate.config` is a node with a `jcr:primaryType = nt:file`
 - C) `/apps/myapp/config.publish/com.acme.myapp.EmailUpdate.config` (node location)
`com.acme.myappEmailUpdate.config` is a node with a `jcr:primaryType = sling.OsgiConfig`
 - D) `/apps/myapp/config.publish/com.acme.myapp.EmailUpdate` (node location)
`com.acme.myappEmailUpdate` is a node with a `jcr:primaryType = sling.OsgiConfig`

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: B,C

Question No : 2

Which property is deprecated while resolving a template (T) that can be used as a template for page (P)?

- A. `cq:allowedTemplates` property of the `jcr:contentsubnode` of P or an ancestor of P
- B. `allowedPaths` property of T
- C. `allowedParents` property of T
- D. `allowedChildren` property of the template of P

Answer: A

Reference:

<http://docs.adobe.com/docs/en/cq/5-6-1/developing/templates.html>

Question No : 3

Which has the highest preference during Sling Servlet registration?

- A. sling.servlet.paths
- B. sling.servlet.resourceTypes
- C. sling.servlet.extension
- D. sling.servlet.selectors

Answer: B

Reference:

<https://sling.apache.org/documentation/the-sling-engine/servlets.html>

Question No : 4

You want to restrict the size of a custom log file and enable log file rotation. Which Apache Sling configuration has to be changed in the AEM Web Console?

- A. Apache Sling Composite Health Check
- B. Apache Sling Job Manager
- C. Apache Sling Logging Writer Configuration
- D. Apache Sling Logging Logger Configuration

Answer: D

Reference:

http://docs.adobe.com/docs/en/cq/5-6-1/deploying/osgi_configuration_settings.html

Question No : 5

Which three AEM jar names will start AEM in author mode? (Choose three.)

- A. quickstart-4502.jar
- B. cq5-author-p4502.jar
- C. aem-publish.jar
- D. cq5-author-4502.jar

Answer: B,C,D

Reference:

http://docs.adobe.com/docs/en/cq/5-6-1/getting_started/download_and_startworking.html

Question No : 6

You add "sling.run.modes=publish/f in sling.properties and start the instance using the command "java -jar aem-6-p4502.jar -r author". In which mode will the instance start?

- A. Both author and publish.
- B. Author
- C. Publish
- D. Due to conflict in the run modes, AEM will not start.

Answer: C

Question No : 7

Which property should be used to find the repository where the configuration changes made in the Web Console are saved?

- A. Persistent Identity (PID)
- B. Reference Repository
- C. Component.id
- D. Component.name

Answer: A

Reference:

http://docs.adobe.com/docs/en/cq/5-6-1/deploying/configuring_osgi.html

Question No : 8

Which two URLs will show the server logs? (Choose two.)

- A. <http://{server}/system/console/status-slinglogs>
- B. <http://{server}/system/console/slinglog>
- C. <http://{server}/bin/crxde/logs>
- D. <http://{server}/system/console/logs>

Answer: B,C

Reference:

http://docs.adobe.com/docs/en/cq/5-6-1/deploying/monitoring_and_maintaining.html

Question No : 9

Which statement regarding an AEM instance started with author run-mode is correct?

- A. Author run-mode CANNOT be used to preview a website,
- B. The side-kick does NOT appear in the author mode,
- C. The run-mode can be changed to publish after installation,
- D. The run-mode CANNOT be changed to publish after installation.

Answer: C

Reference:

http://docs.adobe.com/docs/en/cq/5-6-1/deploying/configure_runmodes.html

Question No : 10

Where are ACL node permissions for a node stored in the JCR?

Adobe 9A0-384 : Practice Test

- A.** They are stored as ACL permission in the groups under /home/groups
- B.** They are stored as ACL permissions in the user node under/home/users
- C.** They are stored as rep:policy node under the same node
- D.** They are stored inside the template node under/etc/designs

Answer: A

Thank You For Trying 9A0-384 PDF Demo

To try our 9A0-384 Premium Files visit link below:

<https://examsland.com/latest-exam-questions/9A0-384/>

Start Your 9A0-384 Preparation

Use Coupon **EL25 for extra 25% discount on the purchase of Practice Test Software.**