

Adobe Campaign Classic Business Practitioner Exam

Questions & Answers Demo

Version: 8.0

Question: 1	
A Business Practitioner is starting delivery for two emails. Which status and failure type combinations are possible in the F messages?	Recipient Delivery logs for the two
A. Status: Sent. Failure Type: Not defined Status: Pending. Failure Type: Not defined B. Status: Sent. Failure Type: Not defined Status: Pending. Failure Type: Unreachable C. Status: Sent. Failure Type: Mailbox full Status: Pending. Failure Type: Unreachable D. Status: Sent. Failure Type: Mailbox full Status: Pending. Failure Type: Not defined	
	Answer: C
Question: 2	

A campaign has been setup with an operator group (with 2 operators) as approvers in the "Approvals" section of the delivery.

What will happen if one of the operators is unavailable to provide approval?

- A. The input of just the first approver is required in order for the process to continue onto the next activity
- B. The campaign process will not proceed if both the first and seconds approvers do not provide inputs before expiry
- C. The process will continue without approval if one has been provided before expiry
- D. The process waits indefinitely for inputs from both approvers before moving to the next activity

	_
Answer:	В

Question: 3

In an email delivery, the Business Practitioner uses conditioned content in the creative that varies by recipient segment.

Which three methods allow the Business Practitioner to send proofs that can be set up to cover all

variations in the content? (Choose three.)	
A. Proof with defined proof target	
B. Proof with Seed addressC. Proof with Substitution of address with a random profile	
D. Proof with Substitution of address with a fixed profile	
	Answer: ABC
Question: 4	
A large target population spans multiple age groups. The Business Practit group with 10% from each age group. What is the most efficient method to create the control group?	ioner needs to create a control
A. Use a query activity to query the target population and another query control group. Then use an exclusion activity to get the exclusive target. B. Modify the target population query to not include the control group. C. Use a query activity to obtain the target population and send to a sp group with record count limitation set as random. D. Use the out of the box control group functionality with Random Samplin	lit activity to remove each age
	Answer: C
Overtion 5	
Question: 5	
A Practitioner chooses the wrong parent folder for the Marketing Plan correct the mistake?	. How should the Practitioner
A. delete the Marketing Plan and start over	
B. edit the plan properties and select a different parent folder	
C. drag and drop the Marketing Plan to a new folder	

D. rename the parent folder

Answer: C

Question: 6

What are two uses of an Exclusion activity in a campaign workflow? (Choose two.)

- A. to present exclusive offers in an upsell campaign
- B. to obtain an accurate population count before Delivery
- C. to suppress Recipient on a prior contact list

D. to prioritize contac	ts with the campaign tar	get	
			Answer: CD
	com/campaign/standard/	/automating/using/exclusion	<u>.html</u>
Question: 7			
An email and direct n		w recipient as the target. The	
	blackList	blackListEmail	blackListPostalMail
Recipient A	True	True	False
Recipient B	True	False	False
Recipient C	False	True	False
Recipient D	False	False	False
A. Email: B,D; Direct MB. Email: A,C; Direct MC. Email: D; Direct MCD. Email: A,B,C; Direct MCD. Email: A,B,C; Direct MCD.	Mail: <none> ail: C,D</none>		Answer: A
			Allswer: A
Question: 8 What happens to a fo	 Ilder when the option 'Th	nis folder is a view' is selected	ł?
A. The folder shows a B. The folder shows it C. The folder shows a	Il items in the folder's su tems that have been dele Il items of different type	ub folders irrespective of item	type. the items are located in.
			Answer: C
Reference: https://forums.adobe	e.com/thread/2464438		
Question: 9			
The entire list of recir	pients for a campaign is u	inavailable at the start of an A	A/B test. The final list of the

The entire list of recipients for a campaign is unavailable at the start of an A/B test. The final list of the recipients will be placed in the finalRecipients folder but they will be loaded by the time the A/B test is complete. To start the A/B test, a list of exclusive recipients is used for the initial deliveries in the folder testRecipients.

How should the Business Practitioner modify the workflow diagram?

- A. modify the existing query to query all recipients in folders 'testRecipients' and 'finalRecipients'
- B. modify the original query to all recipients in 'testRecipients' and modify the split activity to query the folder 'finalRecipients' in the complement
- C. add the enrichment after the wait to add all recipients in the 'finalRecipients' folder to the complement from the split activity
- D. modify the original query to all recipients in 'testRecipients': change the A & B branches to 50% each, and add a new query after the wait to get all recipients in the 'finalRecipients' folder

Answer: B	

A query on recipients is added to a workflow. The query needs to be able to obtain the last three transactions

for each recipient.

Which method should be used to obtain this result?

- A. In the complementary information section, add data of the type 'Data linked to the filtering dimension'.
- B. In the complementary information section, add data of the type 'Data of the filtering dimension'.
- C. In the advanced tab, add an Initialization Script.
- D. Switch the targeting and filtering dimension and add aggregate columns to get the transactions.

Answer: B

Reference:

https://docs.campaign.adobe.com/doc/AC/en/

WKF Repository of activities Targeting activities.html

Thank You For Trying AD0-E300 PDF Demo

To try our AD0-E300 Premium Files visit link below:

https://examsland.com/latest-exam-questions/AD0-E300/

Start Your AD0-E300 Preparation

Use Coupon EL25 for extra 25% discount on the purchase of Practice Test Software.