

---

**Question: 1**

---

Security Administrator, Zhi Wang, creates the CA Identity Minder roles required to implement delegated administration. Two weeks later, one of these new roles requires some changes. These changes should be performed by the:

- A. Role Owner
- B. Role Manager
- C. Role Administrator
- D. Access Role Membership Approver

---

**Answer: A**

---

---

**Question: 2**

---

Which features characterize CA Identity Minder? (Choose three)

- A. Assignment of privileges through roles
- B. Delegation of the management of users and application access
- C. Self-service options that enable users to manage their own accounts
- D. User-defined service delivery service catalog that encompasses a menu of services
- E. Full automation capabilities for inventory, tracking, maintenance, migration, and security across all enterprise client devices in a single product

---

**Answer: A,B,C**

---

---

**Question: 3**

---

You are setting up the Bulk Load Client to perform a complete dump of all HR users into CA IdentityMinder. You want to avoid a problem you encountered previously when a large number of records processed overloaded the server. Which command-line option addresses this issue?

- A. `imbulkloadclient -T, --transformOnly`
- B. `imbulkloadclient -b, --batchSize <number>`
- C. `imbulkloadclient -i, --inputFile <file, batchsize>`
- D. `imbulkloadclient -e, --endpointInfoFile <file, number>`

---

**Answer: B**

---

---

**Question: 4**

---

In CA IdentityMinder, which self-service actions can you perform using public tasks? (Choose two)

- A. Self-registration

- B. Modifying your profile
- C. Changing your password
- D. Resetting a forgotten password

---

**Answer: A,D**

---

---

**Question: 5**

---

Which statement about CA Identity Minder end points is TRUE?

- A. An endpoint type can only contain one instance of an endpoint.
- B. They are generally client operating system versions, such as Windows XP and Red Hat Linux.
- C. An endpoint type is the lowest unit of organization in the hierarchical structure managed by the provisioning engine.
- D. A specific type of endpoint needs to be enabled on the Provisioning Server to enable CA Id entity Minder to communicate to it.

---

**Answer: D**

---

---

**Question: 6**

---

During the installation, CA Identity Minder creates several database schemas. Later, to provide scalability, you can create a separate database to replace any one of these, Use the CreateDatabase script to set up a new:

- A. Auditing database instance.
- B. Workflow database instance.
- C. Object Store database instance.
- D. Task persistence database instance.

---

**Answer: B**

---

**Thank You For Trying CAT-340 PDF Demo**

**To try our CAT-340 Premium Files visit link below:**

**<https://examsland.com/latest-exam-questions/CAT-340/>**

**Start Your CAT-340 Preparation**

**Use Coupon **EL25** for extra 25% discount on the purchase of Practice Test Software.**