

Dell EMC

DES-1111 Exam

**Specialist - Technology Architect. PowerMax and VMAX All Flash
Solutions**

**Questions & Answers
demo**

Version: 4.0

Question: 1

What is the best practice sizing guideline for front-end FA utilization on a single engine PowerMax array?

- A. 0.5
- B. 0.6
- C. 0.7
- D. 0.8

Answer: A

Explanation:

Question: 2

A customer is planning to purchase a PowerMax 8000 system with the zEssentials software package. The environment needs to have the ability to rapidly recover from large scale logical corruption using TimeFinder SnapVX.

Which optional software should be recommended to fulfill the requirement?

- A. Product Suite for z/TPF
- B. GDPR
- C. zDP
- D. AutoSwap

Answer: C

Explanation:

Reference: <https://www.gotomojo.com/wp-content/uploads/2019/07/Dell-VMAX-All-Flash-Product-Guide.pdf>

Question: 3

The output file of a Linux Host Collection Utility does not match the BCSD parser format. What could be the reason?

- A. Incorrect LUNs specified
- B. Perform is not up to date
- C. BSCD is incorrectly configured
- D. OS patches are not up to date

Answer: D

Explanation:

Question: 4

DRAG DROP

An architect is collecting data from a Windows host to model a solution in BCSD. What is the correct sequence of steps to take so that BCSD can parse the data?

Configure perfmon collection interval and schedule

STEP 1

Set up perfmon to collect disk statistics

STEP 2

Use Disk Admin to identify specific LUNs that need to be replicated

STEP 3

Configure perfmon for data collection including log setup and reset counters

STEP 4

Plan three- to five-day peak activity data collection period

STEP 5

Answer:

Explanation:

Set up perfmon to collect disk statistics

Configure perfmon for data collection including log setup and reset counters

Configure perfmon collection interval and schedule

Use Disk Admin to identify specific LUNs that need to be replicated

Plan three- to five-day peak activity data collection period

Reference: https://manpreetstorage.files.wordpress.com/2016/07/vmax-3-solution-design-student_guide.pdf

Question: 5

Which deduplication methods are supported for VMAX All Flash?

- A. DEFLATE Compression algorithm, Inline Deduplication, and FBA Storage Resource Pool
- B. Adaptive Compression Engine, CKD Storage Resource Pool, and Compression I/O module
- C. Adaptive Compression Engine, Compression I/O module, and LZS Compression algorithm
- D. Extended Data Compression, Inline Deduplication, and LZS Compression algorithm

Answer: C

Explanation:

Reference: <https://www.delltechnologies.com/asset/el-gr/products/storage/industry-market/h17072-data-reduction-with-dell-emc-powermax.pdf> (7)

Thank You For Trying DES-1111 PDF Demo

To try our DES-1111 Premium Files visit link below:

<https://examsland.com/latest-exam-questions/DES-1111/>

Start Your DES-1111 Preparation

Use Coupon **EL25 for extra 25% discount on the purchase of Practice Test Software.**