

Dell EMC

DES-6321 Exam

**Dell EMC Specialist – Implementation Engineer, VxRail
Appliance Version 1.0 Exam**

Questions & Answers Demo

Version: 8.0

Question: 1

A 4-node VxRail Model E560F solution with an embedded vCenter and Log Insight is planned for deployment.

Prior to deployment, DNS records must be created for which hosts?

- A. vCenter Server, ESXi hosts, VxRail Manager, and iDRAC
- B. vCenter Server, first ESXi host, VxRail Manager, and iDRAC
- C. DNS records are automatically created during VxRail deployment
- D. vCenter Server, ESXi hosts, VxRail Manager, and Log Insight

Answer: D

Reference:

<https://www.dellemc.com/en-us/collaterals/unauth/technical-guides-support-information/products/converged-infrastructure/h15300-vxrail-network-guide.pdf>

Question: 2

What is the default network traffic configuration for a VxRail node with 2 x 10 GbE ports?

- A. Management and vMotion on Uplink1
vSAN and Virtual Machines on Uplink2
- B. Management, Virtual Machines, and vSAN on Uplink1
vMotion on Uplink2
- C. Management, vMotion, and Virtual Machines on Uplink1
vSAN on Uplink2
- D. Management and Virtual Machines on Uplink1
vSAN and vMotion on Uplink2

Answer: A

Question: 3

What is required to enable vSAN encryption on a VxRail cluster?

- A. All-Flash system
External Key Management Server
- B. Internal vCenter Server
Internal Key Management Server
- C. External vCenter Server
External Key Management Server
- D. Internal vCenter Server
External Key Management Server

Answer: C

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.7/com.vmware.vsphere.virtualsan.doc/GUIDF3B2714F-3406-48E7-AC2D-3677355C94D3.html>

Question: 4

A customer is configuring VxRail to connect to an existing, external SRS VE. Their support account is associated with the Site ID/Party ID where VxRail is installed. A validation error is issued when the customer attempts to register VxRail in SRS.

What is the possible cause for the error?

- A. Status of VxRail in Install Base is 'Shipped'
- B. Wrong IP address was used for SRS VE gateway
- C. SRS traffic goes through a proxy server
- D. Number of deployed devices on SRS gateway has exceeded the maximum

Answer: B

Reference:

<https://www.dell.com/community/VxRail/ESRS-on-VxRail-Manager/td-p/7147964>

Question: 5

An implementation engineer is attempting to add a new node to a 3 node VxRail cluster.

What is the minimum VxRail code version that no longer requires the fourth node to match the first three nodes?

- A. 4.0.302
- B. 4.0.502
- C. 4.5.070
- D. 4.5.150

Answer: D

Reference:

<https://www.vstecs-dellsolutions.com/wp-content/uploads/2018/10/vxrail-faq.pdf>

Question: 6

What is the minimum number of VxRail hosts required if FTT = 1 and FTM is set to Erasure Coding?

- A. 3
- B. 4
- C. 5
- D. 6

Answer: C

Reference:

<https://wuchikin.wordpress.com/2016/12/04/how-many-nodes-are-need-on-vxrail/>

Thank You For Trying DES-6321 PDF Demo

To try our DES-6321 Premium Files visit link below:

<https://examsland.com/latest-DES-6321-exam-questions/>

Start Your DES-6321 Preparation

Use Coupon **EL25 for extra 25% discount on the purchase of Practice Test Software.**