

AWS Certified Developer Associate

Questions & Answers Demo

Version: 25.0

Question: 1	
Company C is currently hosting their corporate site in an Amazon S3 bucket enabled. Currently, when visitors go to http://www.companyc.com the in Company C now would like a new page welcome.html to be return http://www.companyc.com in the browser.	ndex.html page is returned.
Which of the following steps will allow Company C to meet this requirement	? Choose 2 answers
A. Upload an html page named welcome.html to their S3 bucket B. Create a welcome subfolder in their S3 bucket C. Set the Index Document property to welcome.html D. Move the index.html page to a welcome subfolder E. Set the Error Document property to welcome.html	
- -	Answer: A, C
Explanation:	
https://docs.aws.amazon.com/AmazonS3/latest/dev/WebsiteHosting.htmlhttps://docs.aws.amazon.com/AmazonS3/latest/dev/HostingWebsiteOnS3S	etup.html
Question: 2	
What type of block cipher does Amazon S3 offer for server side encryption?	
A. Triple DES B. Advanced Encryption Standard C. Blowfish D. RC5	
	Answer: B
Explanation:	
https://docs.aws.amazon.com/AmazonS3/latest/dev/serv-side-encryption.h	<u>tml</u>
Question: 3	
If an application is storing hourly log files from thousands of instances from	a high traffic web site, which

naming scheme would give optimal performance on S3?

Answer: D

Answer: B		
Reference: https://acloud.guru/forums/aws-certified-developer-associate/discussion/-KU2dEtJb-LI5ISbH_S4/if-an-application-is-storing-hourly-log-files-from-thousands-of-instances-from-a		
Which of the following statements about SQS is true?		
n First in, First out order determinate delivered in First in, First out		
er is indeterminate		
ו ר		

Explanation:

https://aws.amazon.com/sqs/features/

Question: 5

A corporate web application is deployed within an Amazon VPC, and is connected to the corporate data center via IPSec VPN. The application must authenticate against the on-premise LDAP server. Once authenticated, logged-in users can only access an S3 keyspace specific to the user.

Which two approaches can satisfy the objectives? Choose 2 answers

- A. The application authenticates against LDAP. The application then calls the IAM Security Service to login to IAM using the LDAP credentials. The application can use the IAM temporary credentials to access the appropriate S3 bucket.
- B. The application authenticates against LDAP, and retrieves the name of an IAM role associated with the user. The application then calls the IAM Security Token Service to assume that IAM Role. The application can use the temporary credentials to access the appropriate S3 bucket.
- C. The application authenticates against IAM Security Token Service using the LDAP credentials. The application uses those temporary AWS security credentials to access the appropriate S3 bucket.
- D. Develop an identity broker which authenticates against LDAP, and then calls IAM Security Token Service to get IAM federated user credentials. The application calls the identity broker to get IAM

Page 4

federated user credentials with access to the appropriate S3 bucket.

E. Develop an identity broker which authenticates against IAM Security Token Service to assume an IAM Role to get temporary AWS security credentials. The application calls the identity broker to get AWS temporary security credentials with access to the appropriate S3 bucket.

	Answer: B, D	
Tural a marking a		

Explanation:

https://docs.aws.amazon.com/IAM/latest/UserGuide/id credentials temp request.html

Thank You For Trying DVA-C01 PDF Demo

To try our DVA-C01 Premium Files visit link below:

https://examsland.com/latest-exam-questions/DVA-C01/

Start Your DVA-C01 Preparation

Use Coupon EL25 for extra 25% discount on the purchase of Practice Test Software.