

# EMC

## Exam E20-690

### VNX Solutions Specialist Exam for Platform Engineers

Version: Demo

[ Total Questions: 10 ]

**Question No : 1**


You are installing an ESRS IP Client to monitor a VNX Block array. You also want to connect remotely to SP A and SP B over the ESRS platform. What needs to be done first?

- A.** Add the ESRS workstation IP address to the RemotelyAnywhere access restriction list on the array's SP A or SP
- B.** Add the SP A and SP B IP addresses to the ESRS workstation host file.
- C.** Add the ESRS workstation IP address to the administration access restriction list.
- D.** Add the SP A and SP B IP addresses to the RemotelyAnywhere access restriction list on the array's SP A or SP

**Answer: A**

**Question No : 2**

Refer to the exhibit.



The engineer needs to manage a VNX system during an unplanned data center outage but the network is down. Which connection(s) on the SPE management module can be used?

- A. 1 or 2
- B. 4 only
- C. 1 or 4

D. 2 only

**Answer: C**

**Question No : 3**

After which step during an NDU upgrade can the process no longer be aborted?

- A. After the primary SP Reboot/Restart step
- B. After the NDU process step for committing the new NDU Bundle
- C. After existing package files are uninstalled from both SPs
- D. After directories for the upgrade package are deleted

**Answer: A**

**Question No : 4**

In a VNX File procedure, which component is imaged back to a state where the VNX Installation Assistant can be rerun?

- A. Control Station
- B. Control LUNs
- C. NAS partitions
- D. Data Movers

**Answer: A**

**Question No : 5**

What is the VNX default failover policy for a Data Mover?

- A. Auto
- B. Manual
- C. Retry
- D. Verify

**Answer: A**

**Question No : 6**

What can cause an SP to go into degraded mode?

- A. Image-SP type mismatch
- B. Failed power supply
- C. Multiple unowned LUNs
- D. Failed SLIC

**Answer: A**

**Question No : 7**

Which describes the VNX Control Volumes?

- A. Private system LUNs where the EMC NAS code is installed
- B. Control LUNs that the Unisphere Host Agent uses to manage the array
- C. Volumes that AVM manages and that store NAS file systems
- D. Partitions containing the VNX OE for Block operating system

**Answer: A**

**Question No : 8**

You are installing ESRS IP client to monitor a VNX5700 File system.

Your customer has asked you to monitor an additional array. Which other array is supported during installation?

- A. VNX Block
- B. VBLOCK
- C. VMAX
- D. VPLEX

**Answer: A**

**Question No : 9**

While at a customer's site, you need access to a VNX Storage Processor on IP address 10.11.12.13. You want to use RemotelyAnywhere but https://10.11.12.13 does not open the login screen.

Which port needs to be added to the URL?

- A. 9519
- B. 443
- C. 80
- D. 119

**Answer: A**

**Question No : 10**

You are tasked with running CLI commands. You discover that SPB is responsive, but SPA is in a degraded mode. If running commands from SPB, what is the function of the `speccli -issuePeerNMIcommand`?

- A. Triggers a panic dump on SPA
- B. Triggers a panic dump on SPB
- C. Display the startup progress on SPA
- D. Display the startup progress on SPB

**Answer: A**

**Thank You For Trying E20-690 PDF Demo**

**To try our E20-690 Premium Files visit link below:**

**<https://examsland.com/latest-E20-690-exam-questions/>**

**Start Your E20-690 Preparation**

**Use Coupon **EL25** for extra 25% discount on the purchase of Practice Test Software.**