

Fortinet


FCP_FMG_AD-7.4 Exam

FCP - FortiManager 7.4 Administrator Questions & Answers Demo

Version: 4.0

Question: 1

Exhibit.



Given the configuration shown in the exhibit, which two statements are true? (Choose two.)

- A. An administrator can also lock the Local-FortiGate_root policy package.
- B. FortiManager is in workflow mode.
- C. The FortiManager ADOM is locked by the administrator.
- D. The FortiManager ADOM workspace mode is set to Normal

Answer: A, B

Question: 2

An administrator enabled workspace mode and now wants to delete an address object that is currently referenced in a firewall policy. Which two results can the administrator expect? (Choose two.)

- A. FortiManager will temporarily change the status of the referenced firewall policy to disabled.
- B. FortiManager will disable the status of the address object until the changes are installed.
- C. FortiManager will not allow the administrator to delete a referenced address object until they lock the ADOM.
- D. FortiManager will replace the deleted address object with the none address object in the referenced firewall policy.

Answer: C, D

Question: 3

What is the purpose of ADOM revisions?

- A. To save the current state of the whole ADOM
- B. To save the current state of all policy packages and objects for an ADOM
- C. To revert individual policy packages and device-level settings for a managed FortiGate
- D. To save the FortiManager configuration in the System Checkpoints

Answer: B

Question: 4

Refer to the exhibit.

The screenshot shows the 'Edit Address' configuration page in FortiManager. The configuration is as follows:

- Category: Address
- Name: LOCAL_SUBNET
- Color: Change
- Type: Subnet
- IP/Netmask: 192.168.1.0/255.255.255.0
- Interface: any
- Static Route Configuration: On
- Comments: (empty)
- Add To Groups: (empty)
- Advanced Options: (expanded)
- Per-Device Mapping: (expanded)

| Mapped Device | Details |
|---|---|
| <input type="checkbox"/> Local-FortiGate [root] | IP/Netmask: 192.168.1.0,255.255.255.240 |

An administrator has created a firewall address object that is used in multiple policy packages for multiple FortiGate devices in an ADOM.

After the installation operation is performed, which IP/netmask is shown on FortiManager for this firewall address object for devices without a Per-Device Mapping set?

- A. FortiManager generates an error for each FortiGate without a per-device mapping defined for that object.
- B. 192.168.1.0/24
- C. 192.168.1.0/28
- D. FortiManager replaces the address object to none.

Answer: C

Question: 5

Exhibit.

```
FortiManager # diagnose dvm device list
--- There are currently 1 devices/vdoms managed ---
--- There are currently 1 devices/vdoms count for license ---
TYPE          OID    SN          HA    IP          NAME          ADOM    IPS          FIRMWARE
fmgfaz-managed 325    FGM010000077646 -    10.0.1.200  ISFW          ADOM2    6.00741 (regular) 7.0 MR4 (2463)
|- STATUS: dev-db: modified; conf: in sync; cond: pending; dm: retrieved; conn: up
|- vdom:[3]root flags:1 adom:ADOM2 pkg: [imported]ISFW
```

Which two statements about the output are true? (Choose two.)

- A. The latest revision history for the managed FortiGate does not match the device-level database.
- B. Configuration changes have been installed on FortiGate, which means the FortiGate configuration has been changed.
- C. Configuration changes directly made on FortiGate have been automatically updated to the device-level database.
- D. The latest revision history for the managed FortiGate does match the FortiGate running configuration.

Answer: A, D

Thank You For Trying FCP_FMG_AD-7.4 PDF Demo

To try our FCP_FMG_AD-7.4 Premium Files visit link below:

https://examsland.com/latest-exam-questions/FCP_FMG_AD-7.4/

Start Your FCP_FMG_AD-7.4 Preparation

Use Coupon **EL25** for extra 25% discount on the purchase of Practice Test Software.