Huawei

H31-124_V2.0 Exam

Huawei HCIP-Carrier IP V2.0 Exam

Questiosn & Answers
Demo

Version: 7.0

Question: 1

The Ethernet switch working in store and forward mode drops the frame with length smaller than 64 bytes.

A. True
B. False

Answer: A

Question: 2

VXLAN uses MAC in UDP encapsulation to extend Layer 2 networks and encapsulates Ethernet packets on IP packets. When packets are transmitted on a touted network, the intermediate touting device does not need to learn inner MAC addresses.

A. True
B. False

Answer: B

Question: 3

Which of the following statements about LAN switch is correct?

A. LAN switch is transparent for user, it does not modify the data field of the forwarded frame.
B. LAN switch can still operate normally even when loop exists.
C. LAN switch can detect loop according to the contents of the packet.
D. LAN switch can modify the data field of the forwarded frame when necessary.

Answer: C

Question: 4

Which of the following statements about layer 2 LAN switch are incorrect?

A. LAN switch will modify the data link layer header of the packet and then forward it.
B. LAN switch can learn Mac address automatically.
C. LAN switch operates at data link layer.

Page 3

ExamsLand provides 100% free Huawei H31-124_v2.0 practice questions and answers in pdf. Instant access.

D. LAN switch will modify the network layer header of the packet and then forward it.

Answer: B

Question: 5

Is the following statement correct or incorrect? Because a bypass tunnel Is manually created during TE FRR configuration, the constraint shortest path first (CSPF) does not need to be enabled.

A. True
B. False

Answer: B

Thank You For Trying H31-124_v2.0 PDF Demo

To try our H31-124_v2.0 Premium Files visit link below:

https://examsland.com/latest-exam-questions/H31-124_v2.0/

Start Your H31-124_v2.0 Preparation

Use Coupon EL25 for extra 25% discount on the purchase of Practice Test Software.