

HP

Exam HP0-P25

HP-UX 11i v3 Advanced System Administration

Version: Demo

[Total Questions: 10]

Question No : 1

Which statements about HP Serviceguard heartbeats are true? (Select two)

- A. Heartbeat packets are sent across all available LAN interfaces
- B. Heartbeat packets are the primary mechanism used by cluster nodes to communicate status information.
- C. Loss of even a single heartbeat message causes cluster reformation.
- D. A minimum of two heartbeat LAN interfaces are recommended in a cluster.
- E. Heartbeat packets are sent across dedicated heartbeat LAN interfaces

Answer: B,E

Reference:

http://h20566.www2.hp.com/hpsc/doc/public/display?docId=emr_na-c02264572

Question No : 2

Which HP Virtualization Continuum solutions require a hypervisor running in an HP-UX host OS? (Select three.)

- A. vPars V6
- B. Integrity VM V6 V
- C. nPars
- D. HP Serviceguard
- E. vPars V5
- F. Integrity VM V4

Answer: A,B,E

Reference:

http://h20566.www2.hp.com/hpsc/doc/public/display?docId=emr_na-c02264572

Question No : 3

You are trying to create a new Serviceguard cluster with two nodes. The

HP HP0-P25 : Practice Test

/etc/cmcluster/cmclnodelist file exists and is correct on both nodes. They can resolve hostnames and IP addresses correctly, and Serviceguard is installed correctly on both nodes. When running the command `cmquerycl -v -n nodeB -nnodeA` on node nodeA, it works but when run on node nodeB, the same command fails with the following message:

```
# cmquerycl -v -n nodeB -n nodeA
Gathering storage information
Unable to connect to node nodeB: Permission denied
Unable to connect to node nodeA: Permission denied
Gathering network information
Failed to gather configuration information.
#
```

What is the cause of this problem?

- A. The "auth" service entry is commented out in the /etc/inetd.conf file on node nodeA.
- B. The "auth" service entry is commented out in the /etc/inetd.conf file on node nodeB
- C. The "hacl-probe" service entry is commented out in the /etc/inetd.conf file on node nodeA
- D. The "hacl probe" service entry is commented out in the /etc/inetd.conf file on node nodeB.

Answer: C

Question No : 4

A system administrator is converting a legacy-style HP Serviceguard package to modular style. The administrator has modified the "customer-define": of the control script and these customizations need to be moved into an external script. Which command will perform this task?

- A. `cmmigratepkg`
- B. `cmquerycl`
- C. `cmgetconf`
- D. `cmmakepkg`

Answer: D

Reference:

http://h20566.www2.hp.com/hpsc/doc/public/display?docId=emr_na-c02264572

Question No : 5

What is the correct directive and file to configure when you need multi-domain name resolution?

- A. aliases directive in nsswitch.conf
- B. host directive in nsswitch.conf
- C. search directive in resolv.conf
- D. domain directive in resolv.conf

Answer: B

Question No : 6

A package (my_ pkg) has failed on your Serviceguard cluster due to its Primary node failing. Running the `cmviewcl -v —p my_pkg` command shows the SWITCHING parameter set to disabled.

Which command will make it possible for the package to start on the remaining nodes?

- A. `cmcheckconf`
- B. `cmrunpkg`
- C. `cmapplyconf`
- D. `cmmodpkg`

Answer: B

Reference:

http://h20566.www2.hp.com/hpsc/doc/public/display?docId=emr_na-c02264572

Question No : 7 HOTSPOT

Match the UNIX system commands with their toolbox description

file editing

ed, ex, vi
cc, make, lint, lex
ps, du, acctcom
sort, grep, wc, awk, sed
sccs, rcs

source code management

ed, ex, vi
cc, make, lint, lex
ps, du, acctcom
sort, grep, wc, awk, sed
sccs, rcs

process and user accounting

ed, ex, vi
cc, make, lint, lex
ps, du, acctcom
sort, grep, wc, awk, sed
sccs, rcs

program development

ed, ex, vi
cc, make, lint, lex
ps, du, acctcom
sort, grep, wc, awk, sed
sccs, rcs

text processing

ed, ex, vi
cc, make, lint, lex
ps, du, acctcom
sort, grep, wc, awk, sed
sccs, rcs

Answer:

file editing

ed, ex, vi
cc, make, lint, lex
ps, du, acctcom
sort, grep, wc, awk, sed
scs, rcs

source code management

ed, ex, vi
cc, make, lint, lex
ps, du, acctcom
sort, grep, wc, awk, sed
scs, rcs

process and user accounting

ed, ex, vi
cc, make, lint, lex
ps, du, acctcom
sort, grep, wc, awk, sed
scs, rcs

program development

ed, ex, vi
cc, make, lint, lex
ps, du, acctcom
sort, grep, wc, awk, sed
scs, rcs

text processing

ed, ex, vi
cc, make, lint, lex
ps, du, acctcom
sort, grep, wc, awk, sed
scs, rcs

Explanation:

File editing ed,ex,vi

Source code management scs , rcs

Process and user accounting sort,grep,wc,awk,sed

Program development ps,du,acctcom

Text processing cc,make , lint,lex

Question No : 8

A customer needs a partitioning solution that provides dedicated resources and electrical isolation. Which HP solution should the customer use?

- A. vPars
- B. Integrity VM
- C. HP Containers
- D. nPars

Answer: D

Reference:

http://h20565.www2.hp.com/hpsc/doc/public/display?docId=emr_na-c02018888

Question No : 9 HOTSPOT

Select the correct order to update HP-UX using DRD

Step 1

```
drd runcmd swinstall -s  
Depot_Path Update-UX  
drd runcmd view  
/var/adm/sw/update-ux.log  
drd runcmd update-ux  
drd clone-t-target_disk
```

Step 2

```
drd runcmd swinstall -s  
Depot_Path Update-UX  
drd runcmd view  
/var/adm/sw/update-ux.log  
drd runcmd update-ux  
drd clone-t-target_disk
```

Step 3

```
drd runcmd swinstall -s  
Depot_Path Update-UX  
drd runcmd view  
/var/adm/sw/update-ux.log  
drd runcmd update-ux  
drd clone-t-target_disk
```

Step 4

```
drd runcmd swinstall -s  
Depot_Path Update-UX  
drd runcmd view  
/var/adm/sw/update-ux.log  
drd runcmd update-ux  
drd clone-t-target_disk
```

Answer:

Step 1

```
drd runcmd swinstall -s  
Depot_Path Update-UX  
drd runcmd view  
/var/adm/sw/update-ux.log  
drd runcmd update-ux  
drd clone-t-target_disk
```

Step 2

```
drd runcmd swinstall -s  
Depot_Path Update-UX  
drd runcmd view  
/var/adm/sw/update-ux.log  
drd runcmd update-ux  
drd clone-t-target_disk
```

Step 3

```
drd runcmd swinstall -s  
Depot_Path Update-UX  
drd runcmd view  
/var/adm/sw/update-ux.log  
drd runcmd update-ux  
drd clone-t-target_disk
```

Step 4

```
drd runcmd swinstall -s  
Depot_Path Update-UX  
drd runcmd view  
/var/adm/sw/update-ux.log  
drd runcmd update-ux  
drd clone-t-target_disk
```

Explanation:

Step 1 /var/adms/sw/update-ux.log

Step 2 drd runcmd uodate-ux drd clone-t-target_disk

Step 3 drd runcmd view

Step 4 drd runcmd swinstall-s depot_path Update-ux

What is the function of the rtprio command?

- A.** Runs or adjusts a process with an HP-UX Real Time priority.
- B.** Runs or adjusts a process with a POSIX thread priority
- C.** Assigns CPU percentage resources to a process
- D.** Assigns the raw I/O priority of a process.

Answer: C

Thank You For Trying HP0-P25 PDF Demo

To try our HP0-P25 Premium Files visit link below:

<https://examsland.com/latest-exam-questions/HP0-P25/>

Start Your HP0-P25 Preparation

Use Coupon **EL25 for extra 25% discount on the purchase of Practice Test Software.**