

# HP

## Exam HPE2-T34

### Using HPE OneView

Version: Demo

**[ Total Questions: 10 ]**

**Question No : 1**

Which HPE OneView integration points are available within System Center with the HPE OneView Advanced License? (Select two)

- A. Data Protection Manager
- B. Azure Resource Manager
- C. Service Manager
- D. Virtual Machine Manager
- E. Operations Manager

**Answer: B,C**

**Question No : 2**

A server administrator is integrating HPE OneView authentication with Active Directory and needs to add read-only access to members of a domain group. Which steps are part of the procedure? (Select two)

- A. Define the Active Directory domain and associated directory server(s) in Directory settings.
- B. Add the domain group as Base DN in Directory settings.
- C. Add the domain group as Organization Unit in Directory settings.
- D. Add the Active directory server in Users and Groups menu.
- E. Add the domain group in Users and Groups menu.

**Answer: B,C**

**Question No : 3 HOTSPOT**

Click the area where you find WWN's and MAC addresses that are pre-configured or user-defined from the settings menu.

HP HPE2 T34 : Practice Test

OneView

Search

Settings

Appliance >

Firmware4.00.05-0325661

Appliance statusOK

Update appliance

Create support dump

Time and Locale >

Time1/25/18 10:54:35 am (UTC -0600)

LocaleEnglish (United States)

Security >

DirectoriesLocal default

Manage certificates

Activity >

Backup >

Frequencynot set

Last downloaded backup created atJan 12 8:29:12 am (13 days ago)

Current backup created atnone

Create backup

Proxy >

not set

Notifications >

Alert email FiltersDisabled

Filtersnone

SNMP >

Networking >

Network Status

Host name

Appliance IP address

Gateway address

Primary DNS

Licenses >

Licensesnone

Add

Scopes >

none

Create scope

Addresses and identifiers >

Answer:

OneView

Search

Settings

Appliance >

Firmware4.00.05-0325661

Appliance statusOK

Update appliance

Create support dump

Time and Locale >

Time1/25/18 10:54:35 am (UTC -0600)

LocaleEnglish (United States)

Security >

DirectoriesLocal default

Manage certificates

Activity >

Backup >

Frequencynot set

Last downloaded backup created atJan 12 8:29:12 am (13 days ago)

Current backup created atnone

Create backup

Proxy >

not set

Notifications >

Alert email FiltersDisabled

Filtersnone

SNMP >

Networking >

Network Status

Host name

Appliance IP address

Gateway address

Primary DNS

Licenses >

Licensesnone

Add

Scopes >

none

Create scope

Addresses and identifiers >

Explanation:

OneView

Search

Settings

Appliance >

Firmware4.00.05-0325661

Appliance statusOK

Update appliance

Create support dump

Time and Locale >

Time1/25/18 10:54:35 am (UTC -0600)

LocaleEnglish (United States)

Security >

DirectoriesLocal default

Manage certificates

Activity >

Backup >

Frequencynot set

Last downloaded backup created atJan 12 8:29:12 am (13 days ago)

Current backup created atnone

Create backup

Proxy >

not set

Notifications >

Alert email FiltersDisabled

Filtersnone

SNMP >

Networking >

Network Status

Host name

Appliance IP address

Gateway address

Primary DNS

Licenses >

Licensesnone

Add

Scopes >

none

Create scope

Addresses and identifiers >

C:\Users\Admin\Desktop\Data\Untitled.jpg

**Question No : 4**

You added an iPDU to an environment managed by HPE OneView. How will servers that are connected to this iPDU be added to HPE OneView?

- A. with the same state (monitored or managed) as the iPDU
- B. in an unmanaged state
- C. as managed devices if they have iLO Advanced license applied
- D. as monitored devices

**Answer: D**

**Question No : 5**

Which resource categories can be included in a scope? (Select two.)

- A. racks
- B. firmware bundles
- C. data centers
- D. enclosures

**Answer: A,B**

**Question No : 6**

For multiple events to be identified as an SNMP trap storm, what criteria must the traps meet? (Select three.)

- A. have the same hostname
- B. are within 1 second of the previous event
- C. have the same trap identifier
- D. have the same number of variable string values
- E. are from the same device
- F. originate from the same MAC addresses

**Answer: A,B,E**

**Question No : 7**

What is the earliest Server generation supported in HPE OneView for Secure Boot configuration within the Server Profile Template?

- A. Gen7
- B. Gen10
- C. Gen8
- D. Gen9

**Answer: C**

**Question No : 8**

Your customer is planning to use HPE OneView to manage the following environment:

- \* 4 HPE BladeSystem c7000 enclosures with BL460c Gen10 and Virtual Connect modules
- \* 20 HPE ProLiant DL380 Gen10 servers
- \* 1 HPE 3PAR StoreServ array

Which components will need an HPE OneView license? (Select two.)

- A. DL380 Gen10 servers
- B. c7000 enclosures
- C. 3PAR array
- D. BL460c Gen10 server blades
- E. Virtual Connect modules

**Answer: C,D**

**Question No : 9**

A customer has a single BladeSystem environment running Virtual Connect and VMware ESXi. The customer wants to manage the enclosure with HPE OneView. What must the customer consider?

## HP HPE2-T34 : Practice Test

- A. The Management Ring can not talk to the production VLAN.
- B. The HPE OneView appliance can not reside in an enclosure it manages.
- C. Virtual Connect Enterprise Manager (VCEM) is not supported with VMware.
- D. HPE OneView for VMware vCenter is licensed separately at an additional cost.

**Answer: C**

### Question No : 10

Refer to the exhibit.

The screenshot shows the 'Create Logical Interconnect Group' window. Under the 'General' tab, the 'Interconnect type' is 'Virtual Connect SE 40Gb F8 Module for Synergy'. The 'Enclosure count' is 1 and the 'Interconnect bay set' is 3. The 'Redundancy' dropdown menu is open, showing 'Redundant' as the selected option. A tooltip for 'Redundant' indicates it recommends/limits 2 choices and bay locations. The 'Select Interconnects' button is visible on the left. At the bottom, there are 'Create', 'Create +', and 'Cancel' buttons.

A solution architect is setting up a Synergy configuration for a customer. The customer wants their redundancy level to be Highly Available. What is preventing this option from being available for the customer?

- A. HA is only supported in mixed speed environments.
- B. HA is not supported in Interconnect Bay set 3.
- C. HA requires multiple frames in the fabric domain.
- D. Synergy doesn't support an HA fabric configuration on the Virtual Connect SE 40GB F8 module for Synergy.

**Answer: C**

**Thank You For Trying HPE2-T34 PDF Demo**

**To try our HPE2-T34 Premium Files visit link below:**

**<https://examsland.com/latest-exam-questions/HPE2-T34/>**

**Start Your HPE2-T34 Preparation**

**Use Coupon **EL25** for extra 25% discount on the purchase of Practice Test Software.**