

HP

HPE2-Z40 Exam

Pass Delta - Applying Aruba Switching Fundamentals for Mobility Exam

Questions & Answers Demo

Version: 8.0

Question: 1

What is one requirement to combine Aruba 5400R z12 Series switches in a Virtual Switching Framework (VSF) fabric?

- A. Both of the members must have two management modules.
- B. The switches must operate in v3-module only mode; any modules of an earlier version are automatically disabled.
- C. The interfaces assigned to the VSF link must be pre-configured as part of a link aggregation.
- D. One of the switches must be an Aruba 5412R switch, while the other member can be any switch in the 5400R series.

Answer: D

Question: 2

A network administrator wants to apply a critical PoE priority to any ArubaOS switch port that connects to an Aruba AP. The priority should be applied dynamically based on LLDP messages received from the AP. Which step should the administrator take to meet this goal?

- A. Configure the PoE usage setting on all ports as //dp.
- B. Configure the PoE usage setting on all ports as class and make sure that Aruba APs are defined as Class 4 devices.
- C. Enable the default AP profile bound to the Aruba AP device type.
- D. Enable LLDP MED TLV extensions on the switch port.

Answer: C

Question: 3

Which solution provides firmware update automation for Aruba APs and switches?

- A. Aruba ClearPass
- B. Aruba Virtual Switching Framework (VSF)
- C. Aruba Activate
- D. Aruba AirWave

Answer: A

Question: 4

The screenshot shows the 'New WLAN' configuration interface. At the top, there is a navigation bar with four tabs: 'WLAN Settings', 'VLAN', 'Security', and 'Access'. The 'VLAN' tab is currently selected. Below the navigation bar, the section 'Client IP & VLAN Assignment' is visible. Under 'Client IP assignment', there are two radio buttons: 'Virtual Controller managed' (unselected) and 'Network assigned' (selected). Under 'Client VLAN assignment', there are three radio buttons: 'Default' (selected), 'Static' (unselected), and 'Dynamic' (unselected).

The exhibit shows settings for a WLAN on an Aruba Instant cluster. To which VLAN is wireless user traffic assigned?

- A. to the untagged VLAN on switch ports connected to the Instant APs
- B. to the VLAN defined for wireless users in Aruba AirWave
- C. to the default VLAN defined in the System settings in the Instant
- D. to the default VLAN on switches connected to the Instant APs

Answer: D

Thank You For Trying HPE2-Z40 PDF Demo

To try our HPE2-Z40 Premium Files visit link below:

<https://examsland.com/latest-exam-questions/HPE2-Z40/>

Start Your HPE2-Z40 Preparation

Use Coupon **EL25 for extra 25% discount on the purchase of Practice Test Software.**