

---

### Question: 1

---

For an attribute to be loaded on a catalog/product object, which two of the following conditions must be satisfied? (Choose two)

- A. The eav\_attribute table must contain a row defining the attribute's properties and its entity type.
- B. The attribute must have a backend model configured in the XML config.
- C. The attribute must be part of the attribute set pertaining to the object being loaded.
- D. There must be a record of the attribute on the catalog\_product\_super\_attribute table.
- E. There must be a column added to the catalog\_product\_entity table.

---

**Answer: A, C**

---

---

### Question: 2

---

What class does an adminhtml grid directly extend?

- A. Mage\_Adminhtml\_Block\_Widget
- B. Varien\_Data\_Grid
- C. Varien\_Data\_Widget
- D. Mage\_Adminhtml\_Block\_Template

---

**Answer: A**

---

---

### Question: 3

---

You have a product collection and want to add a filter to get all products whose name starts with Test or whose price is 0.00.

Which of the following statements would add that OR condition?

A.

```
$collection->addAttributeToFilter(array(
    array('attribute' => 'price', 'eq' => 0.00),
    array('attribute' => 'name', 'like' => 'Test%')
));
```

B.

```
$collection
->addFieldToFilter('price', 0.00)
->addFieldToFilter('name', array('like' => 'Test%')
);
```

C.

```
$collection  
->addAttributeToFilter('price', 0.00)  
->addAttributeToFilter('name', array('like' => 'Test%'))  
);
```

D.

```
$collection->addFieldToFilter(  
array('price', 'name'),  
array(array('eq' => 0.00), array('like' => 'Test%'))  
);
```

E.

```
$collection  
->addAttributeToFilter('price',0.00)  
->addOrCondition('name', array('like' => 'Test%'));
```

---

**Answer: A**

---

---

#### Question: 4

---

Which three of the following conditions are used to protect an admin route via ACL? (Choose three)

- A. You have defined an ACL in your module configuration
- B. At least one admin role must have permission for that route
- C. You have extended the controller from Mage\_Adminhtml\_Controller\_Action
- D. You have defined a method \_isAllowed which checks the permission
- E. The route name must start with admin

---

**Answer: A, C, D**

---

---

#### Question: 5

---

Which table is used for calculating a new increment ID for an order?

- A. sales\_flat\_order\_increment
- B. eav\_entity\_store
- C. core\_increment
- D. core\_config\_data

---

**Answer: B**

---

---

#### Question: 6

---

Which one of the following API methods exists in Magento?

- A. catalog\_category.save

- B. catalog\_product, items
- C. catalog\_product\_attribute\_set.update
- D. catalog\_product.info

---

**Answer: D**

---

---

**Question: 7**

---

Which one of the following classes must you extend in order to implement a custom indexer?

- A. Mage\_Eav\_Model\_Indexer\_Abstract
- B. Mage\_Core\_Model\_Indexer\_Abstract
- C. Mage\_Index\_Model\_Entity\_Indexer\_Abstract
- D. Mage\_Index\_Model\_Indexer\_Abstract

---

**Answer: D**

---

---

**Question: 8**

---

Which two EAV attribute frontend\_input types make use of source models? (Choose two)

- A. text
- B. textarea
- C. select
- D. multiselect
- E. date
- F. gallery

---

**Answer: C, D**

---

---

**Question: 9**

---

What is the difference in the effect of calling the invoice capture () method versus the invoice pay () method?

- A. No difference: pay () will always call capture ().
- B. pay () will trigger the payment and capture! ) will not.
- C. capture () will trigger the payment and pay () will not.
- D. The difference is determined by the payment method implementation.

---

**Answer: C**

---

---

**Question: 10**

---

How is the sort order in which total models collect their values specified?

- A. The sort order is specified in the admin configuration under Sales > "Checkout Totals Sort Order".
- B. The sort order is specified in the system configuration under global/sales/quote/totals/[total\_code] with <before> and <after> nodes.
- C. The sort order is defined by the module loading order as specified by the children of the modules/[module\_name]/depends configuration node.
- D. The sort order is specified by the collect method in each total model.

---

**Answer: A**

---

---

**Question: 11**

---

Which method is called on a shipping carrier model to fetch a list of all available shipping methods, along with the rates associated with them, for a quote address?

- A. collectShippingRates()
- B. getAllowedMethodsO
- C. getShippingRates ()
- D. getAvailableRates()
- E. collectRates()

---

**Answer: E**

---

## **Thank You For Trying M70-101 PDF Demo**

**To try our M70-101 Premium Files visit link below:**

**<https://examsland.com/latest-exam-questions/M70-101/>**

**Start Your M70-101 Preparation**

**Use Coupon **EL25** for extra 25% discount on the purchase of Practice Test Software.**