

SAP

P_SECAUTH_21 Exam

Certified Technology Professional - System Security Architect

Questions & Answers Demo

Version: 4.0

Question: 1

User1 grants role 1 to user2. Who can revoke role 1 role from user2?

- A. The system OBA user
- B. The owner of role 1
- C. Only User1
- D. Any user with the 'ROLE ADMIN' database role

Answer: D

Explanation:

Question: 2

Why should you create multiple dispatchers in SAP Identity Management? Note: There are 2 correct answers to this question.

- A. To accommodate scalability
- B. To support fail-over scenarios
- C. To handle password provisioning
- D. To handle special network access requirements

Answer: A, D

Explanation:

Question: 3

What is required when you configure the PFCG role for an end-user on the front-end server? Note: There are 2 correct answers to this question.

- A. The catalog assignment for the start authorization
- B. The S_RFC authorization object for the OData access
- C. The Fiori Launchpad designer assignment
- D. The group assignment to display it in the Fiori Launchpad

Answer: A, D

Explanation:

Question: 4

In your system, you have a program which calls transaction

A. Users with access to this program can still execute transaction A without explicit authorizations given to this transaction. How do you prevent the access of users to the transaction A from within the program?

- A. Make sure you do NOT assign transact on A to the authorization object S_TCODE in the role that you assign to the unauthorized users.
- B. Maintain SE93 with authorization objects for transact on A.
- C. Maintain the check indicator in table TCDCOUPLES
- D. Ensure that transact on A is NOT assigned into the same program authorization group

Answer: B

Explanation:

Question: 5

The SSO authentication using X.509 client certificates is configured. Users complain that they can't log in to the back-end system. The trace file shows the following error message: "HTTP request [2/5/9] Reject untrusted forwarded certificate". What is missing in the configuration? Note: There are 2 correct answers to this question.

- A. On the back-end, the profile parameter icm/HTTPS/verify client must NOT be set to 0
- B. On the web-dispatcher, the SAPSSLS.pse must be signed by a trusted certification authority
- C. On the web-dispatcher, the profile parameter icm/HTTPS/verify_client must be set to 0
- D. The web dispatcher's SAPSSLC.PSE certificate must be added to the trusted reverse proxies list in icm/trusted_reverse_proxy_<xx>

Answer: A, B

Explanation:

Thank You For Trying P_SECAUTH_21 PDF Demo

To try our P_SECAUTH_21 Premium Files visit link below:

https://examsland.com/latest-exam-questions/P_SECAUTH_21/

Start Your P_SECAUTH_21 Preparation

Use Coupon **EL25 for extra 25% discount on the purchase of Practice Test Software.**